Dexter™



High-efficiency urinal with Mach® Tripoint® flushometer K-PR5016-T2D

Features

- Fixture and touchless flushometer combination is engineered for optimal performance
- Washout urinal
- 0.5 gpf (1.9 lpf)
- 3/4" (19 mm) top spud
- Flush valve activation distance is factory-set
- No external flush volume adjustment ensures water conservation
- 24-hour automatic sentinel flush keeps trapway fresh
- Mechanical override enables flushometer to be used manually even during a power outage
- Chloramine and chlorine resistance on all rubber components exposed to waterway
- Locking stop cap provides protection against vandalism
- 125-micron filter protects internal components
- High back pressure vacuum breaker
- Powered by 1.5V AA lithium batteries
- For this combination, order K-5016-ET urinal and K-10UD00G20 flushometer

Material

- Vitreous china urinal
- Brass flush valve with durable Polished Chrome finish

Technology

- Electronic infrared sensor with Tripoint[®] technology for accurate activation
- Patented piston technology for superior flush volume accuracy

Water Conservation & Rebates

This product can help a building earn Water Efficiency points in LEED[®] Green Building Rating System

Included Components

Additional Components: 2" outlet spud 3/4" inlet spud Hanger(s) (Qty 2)





Codes/Standards ASME A112.18.1/CSA B125.1 ASME A112.19.2/CSA B45.1 ASSE 1037/ASME A112.1037/CSA B125.37 DOE - Energy Policy Act 1992 EPA WaterSense® ADA ICC/ANSI A117.1

KOHLER[®] One-Year Limited Warranty


See website for detailed warranty information.




Dexter™



High-efficiency urinal with Mach® Tripoint® flushometer K-PR5016-T2D





Technical Information

All product dimensions are nominal. Spud size: 3/4, Inlet, Top

Pressure and Supply Requirements

Fixture pressure min 25 psi (172.4 kPa) (static):

Fixture flow rate min: 25 gpm (94.6 lpm)

Fixture pressure 80 psi (551.6 kPa) max (static):

Notes

Install this product according to the installation instructions.

ADA compliant when installed to the specific requirements of these regulations.

